AMENDMENTS

In the Claims:

Please add the following new claim 229:

229. (New) The method according to claim 126, wherein said stringent conditions include using a hybridization solution comprising 50% (w/v) formamide and washing in 5x SSC, 0.1% SDS at 55°C.

Please amend the following claims to read as follows:

115. (Thrice Amended) A method of selecting biological samples from a supply of human biological samples comprising selecting from said supply those samples that contain a detectable polynucleotide comprising a contiguous sequence of at least 15 nucleotides fully complementary to either strand of Figure 3.

116 (Thrice Amended) A method of selecting biological samples from a supply of human biological samples comprising selecting from said supply those samples that contain a detectable polynucleotide comprising a contiguous sequence of at least 15 nucleotides fully complementary to either strand of Figure 62A.

- 117. (Thrice Amended) A method of selecting biological samples from a supply human of biological samples comprising selecting from said supply those samples that contain a detectable polynucleotide comprising a contiguous sequence of at least 15 nucleotides fully complementary to either strand of Figure 89.
- 118. (Thrice Amended) A method of selecting biological samples from a supply human of biological samples comprising selecting from said supply those samples that comprise either (i) a polynucleotide that hybridizes under stringent conditions to a polynucleotide that comprises a contiguous sequence of at least 15 nucleotides from the genome of a hepatitis C virus genome or the complement thereof, or (ii) antibodies that form an antigen-antibody complex with an amino acid sequence of at least 10 contiguous amino acids encoded by a hepatitis C virus genome.

, supl

Serial No. 08/441,355 Docket No. 223002006313 Client Reference PP00063.021

- A method of selecting biological samples from a supply of human biological samples comprising selecting from said supply those samples that comprise either (i) a polynucleotide that hybridizes under stringent conditions to a contiguous sequence of at least 15 nucleotides from either strand of at least one of the HCV cDNA inserts in a lambda gt-11 cDNA library deposited as ATCC No. 40394 or (ii) antibodies that form an antigenantibody complex with an HCV polypeptide sequence of at least 10 contiguous amino acid encoded by an HCV cDNA insert in the lambda gt-11 library deposited as ATCC deposit No. 40394.
- 120. (Thrice Amended) A method of selecting biological samples from a supply of human biological samples comprising selecting from said supply those samples that comprise a polynucleotide that hybridizes under stringent conditions to a contiguous sequence of at least 15 nucleotides found in either strand of Figure 89.
- 121. (Thrice Amended) A method of selecting biological samples from a supply of human biological samples comprising selecting/from said supply those samples that comprise a polynucleotide that hybridizes under stringent conditions to a contiguous sequence of at least 15 nucleotides found in either strand of Figure 14.
- 122. (Thrice Amended) A method of selecting biological samples from a supply of human biological samples comprising selecting from said supply those samples that comprise a polynucleotide that hybridizes under stringent conditions to a contiguous sequence of at least 15 nucleotides from either strand of at least one of the hepatitis C virus (HCV) cDNA inserts in a lambda gt-11 cDNA library deposited as ATCC No. 40394.
- 123. (Thrice Amended) A method of selecting biological samples from a supply of human biological samples comprising selecting from said supply those samples that comprise antibodies that form an antigen-antibody complex with an amino acid sequence of at least 10 contiguous amino acids found in Figure 90.



124. (Thrice Amended) A method of selecting biological samples from a supply of human biological samples comprising selecting from said supply those samples that comprise antibodies that form an antigen-antibody complex with an amino acid sequence of at least 10 contiguous amino acids found in Figure 14.

125. (Thrice Amended) A method of selecting biological samples from a supply of human biological samples comprising selecting from said supply those samples that comprise antibodies that form an antigen-antibody complex with a hepatitis C virus (HCV) polypeptide sequence of at least 10 contiguous amino acid encoded by an HCV cDNA insert in a lambda gt-11 library deposited as ATCC deposit No. 40394.

J3